

JAN 19 '34M

INDEX TO VOLUME 4

Aitken, A. C. On the canonical form of the singular matrix pencil	241
Bailey, W. N. A reducible case of the fourth type of Appell's hypergeometric functions of two variables	305
Burkill, J. C., and Haslam-Jones, U. S. Relative measurability and the derivatives of non-measurable functions	233
Cartwright, M. L. On analytic functions regular in the unit circle	246
Chaundy, T. W. Maxima and minima: The semi-definite case	1
— Laplace's operator in curvilinear coordinates	159
Copson, E. T. On the discontinuous integral of Weber and Schafheitlin	134
Crudeli, U. The motion of the probabilistic fluid of presence of the electron in relativistic wave mechanics	113
Dixon, A. L., and Ferrar, W. L. Integrals for the product of two Bessel functions (I), (II)	193, 297
Evelyn, C. J. A., and Linfoot, E. H. On a problem in the additive theory of numbers (VI)	309
Ferrar, W. L. See Dixon, A. L.	
Haslam-Jones, U. S. See Burkill, J. C.	
Hayden, H. A. On some congruences associated with a sub-variety in a V_n	117
Hodgkinson, J. A class of triangle-functions (II)	21
— On conformal representation—Addendum	240
Hoffmann, B. On the spherically symmetric field in relativity (II)	179
Ingham, A. E. Mean-value theorems and the Riemann zeta-function	278
Kermack, W. O., and McCrea, W. H. On compatible differential equations and the orthogonal properties of their solutions	81
Lindemann, F. A. The unique factorization of a positive integer	319
Linfoot, E. H. See Evelyn, C. J. A.	
McCrea, W. H. See Kermack, W. O.	
Milne, E. A. The energetics of non-steady states, with application to Cepheid variation	258
— On a mean free path formula	315
Mineo, Corradino. On the limits of validity of a theorem of Stokes regarding the figure of the earth	184
Mursi, M., and Winn, C. E. On an interpolated integral function of given order	173
Paley, R. E. A. C. Theorems on polynomials in a Galois field	52
Phillips, Eric. The zeta-function of Riemann; further developments of van der Corput's method	209
Poole, E. G. C. The formal reduction of systems of linear differential equations	107
Reiner, M. A contribution to the theory of the straight beam	12
Ross, A. E. On criteria for universality of ternary quadratic forms	147
Shepherd, W. M. An extension of the method of generalized plane stress	126
Smith, A. H. On the summability of derived series of the Fourier-Lebesgue type	93

INDEX

Titchmarsh, E. C. On the function $1/\zeta(1+it)$	64
Walker, A. G. Spatial distance in general relativity	71
Watson, G. N. Du Bois Reymond's constants	140
Whitehead, J. H. C. Convex regions in the geometry of paths— Addendum	226
— The Weierstrass E -function in differential metric geometry	291
Whitrow, G. J. A derivation of the Lorentz formulae	161
Winn, C. E. See Mursi, M.	
Wright, E. Maitland. The representation of a number as a sum of five or more squares (I), (II)	37, 228

CORRIGENDUM

VOLUME 3

G. H. Hardy and J. E. Littlewood. *Some integral inequalities connected with the calculus of variations:*

Page 249: lines twelve and thirteen. Instead of

'with equality only when

$$y = \eta = Ce^{-x \cos \gamma} \sin(x \sin \gamma - \gamma) \quad (\gamma = \tfrac{1}{2}\pi)',$$

read

'with equality only when $\eta = A\eta(Bx)$, where

$$\eta(x) = e^{-x \cos \gamma} \sin(x \sin \gamma - \gamma) \quad (\gamma = \tfrac{1}{2}\pi)'$$

The conditions for equality are stated correctly in Theorem 7, but an additional parameter is introduced in the passage from Theorem 7 to Theorem 6 (p. 251, top).

The error was pointed out to us by Professor G. Pólya.

